



Compost Solutions from IFE





COMPOST MATERIAL HANDLING TECHNOLOGY SINCE 1991





ORGANIC WASTE





Our solution: **WASTE SCREEN**

design type nominal length nominal width driven

up to 3000 mm special screen decks in standardized sizes 20 to 400 mm cutpoints

isolation frame screen cover


single deck screen up to 8000 mm by IFE unbalanced shaft to minimize dynamic loads

stationary





Iron



Our solution:

ELECTROMAGNETIC OVERBAND SEPARATOR

arrangement

inline or crossbelt

protection class of magnet

IP65 acc. DIN 40050

inclusive rectifying unit IP55 acc. DIN40050

available for ATEX

Zone 20, 21 and 22 incl. TÜV-certificate


for belt widths

from 650 to 2500 mm

CITRUS PEEL, GLASS







Our solution:

HARD PARTICLE SEPARATOR

separation plates amplitude of vibration nominal length

arranged in cascades, individual adjustable inclination adjustable

up to 3500 mm up to 3000 mm nominal width non-encapsulated machine

driven by unbalanced motors or by IFE exciter drive

NON-FERROUS METALS







Our solution:

EDDY CURRENT SEPARATOR

centric and eccentric system

belt width

0,9 - 4 m/s

nominal width

500 - 3000 mm







IMPURITIES IN COMPOST

Our solution:


AEROSELECTOR










































THE ORANGE WAY INTO THE FUTURE

IFE Aufbereitungstechnik GmbH

Patertal 20 3340 Waidhofen/Ybbs Austria

Phone

+43 7442 515-0

Fax

+43 7442 515-15

Mail

office@ife-bulk.com

IFE has a history, has a tradition. We explore, develop, collect experiences, work hard, deliver highest quality and keep our promises. But all that would be worth nothing – without OUR CUSTOMERS!

www.ife-bulk.com